



# Fire Retardant Coatings of Texas®, LLC

4500 Grants Lane, Fort Worth Tx, 76179

Office (817) 710-5233

Sales@frctexas.com • www.frctexas.com

Printing date 03/18/2016

## Safety Data Sheet (SDS) OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS Rev04.

Reviewed April 2024


### 1 Product and Company Identification

- **Product identifier**
- **Trade name: FX LumberGuard®**
- **Article number: FX LumberGuard®**
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Product Description**  
Fire retardant for interior lumber, plywood, OSB, and I-Joist.  
Non-hazardous Penetrant – Non-Toxic – Environment Safe – Water Based
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
**Fire Retardant Coatings of Texas®, LLC**  
4500 Grants Lane  
Fort Worth, TX 761792  
Off (817) 710-5233 – www.frctexas.com
- **Emergency telephone number: (817) 710-5233**
- **"Fire Retardant Coatings of Texas," "FX Lumber Guard / FX Lumber Guard XT"**
- **& "FRCT" Logo are federally registered trademarks**



### 2 Hazards identification

- **Classification of the substance or mixture**  
The product is not classified according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Precautionary statements** Precautionary statements
- **Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme**
- **NFPA ratings (scale 0 - 4)**



Health = 0  
Fire = 0  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



HEALTH 0 Health = 0  
FIRE 0 Fire = 0  
REACTIVITY 0 Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

461-58-5	dicyandiamide	<4%
7732-18-5	water, distilled, conductivity or of similar purity	<85%
7783-28-0	diammonium phosphate	<2%

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with non-hazardous additions.



# Fire Retardant Coatings of Texas, LLC

4500 Grants Lane, Fort Worth Tx, 76179  
Office (817) 710-5233  
Sales@frctexas.com • www.frctexas.com

## Safety Data Sheet (SDS)

OSHA Hazard Communication Standard 29 CFR  
1910.1200. Prepared to GHS Rev04.

Reviewed April 2024

Printing date 03/18/2016

Trade name:

**FX LumberGuard®**

(Contd. of page 1)

· <b>Dangerous components:</b>			
7664-38-2	Phosphoric Acid 75% Food Grade	H314	<2.5%
57-13-6	Urea Prills		2%
	Proprietary		4.5%

### 4 First aid measures

- **Description of first aid measures**
- **General information:** No special measures are required.
- **After inhalation, supply fresh air; consult a doctor if you have** complaints.
- **After skin contact,** Wash the effective area with soap and water.
- **After eye contact:** Rinse the opened eye for several minutes under running water.
- **After swallowing:** Give large amounts of water. If symptoms persist, consult a doctor.
- The most important symptoms and effects are both acute and delayed. No further relevant information is available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information is available.

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder, or water spray. Fight larger fires with water spray or alcohol-resistant foam.
- **No further relevant information is available for special hazards arising from the substance or mixture.**
- **Advice for firefighters**
- **Protective equipment:** No special measures are required.

### 6 Accidental release measures

- **Personal precautions, protective equipment, and emergency procedures are** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or groundwater.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### 7 Handling and storage

- **Precautions for safe handling:** No special measures are required.
- **Information about protection against explosions and fires:** No special measures are required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one standard storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information is available.

### 8 Exposure controls/personal protection

- **Additional information about the design of technical systems:** No further data; see item 7.

(Contd. on page 3)



# Fire Retardant Coatings of Texas, LLC

4500 Grants Lane, Fort Worth Tx, 76179

Office (817) 710-5233

Sales@frctexas.com • www.frctexas.com

## Safety Data Sheet (SDS)

OSHA Hazard Communication Standard 29 CFR

1910.1200. Prepared to GHS Rev04.

Reviewed April 2024

Printing date 03/18/2016

Trade name:

**FX LumberGuard®**

(Contd. of page 2)

### · Control parameters

#### · Components with limit values that require monitoring at the workplace:

##### 7664-38-2 phosphoric acid 75% Food Grade

PEL	1 mg/m <sup>3</sup>
REL	Short-term value: 3 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup>
TLV	Short-term value: 3 mg/m <sup>3</sup> Long-term value: 1 mg/m <sup>3</sup>

##### 57-13-6 urea

WEEL	10 mg/m <sup>3</sup>
------	----------------------

· **Additional information:** The lists valid during the creation were used as the basis.

### · Exposure controls

#### · Personal protective equipment:

#### · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

#### · Breathing equipment:

Not required.

#### · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests, no recommendation for the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion, and the degradation

#### · Material of gloves

The selection of suitable gloves depends on the material and further quality marks, and it varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can't be calculated in advance and has to be checked before the application.

#### · Penetration time of glove material

The exact breakthrough time has to be determined by the manufacturer of the protective gloves and observed.

#### · Eye protection:

Goggles are recommended during refilling.

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

Form: Liquid

Color: Cloudy

· Odor: Yes

· Odor threshold: Slight

· pH-value range: 5.5 – 7 %

#### · Change in condition

Freezing point/Freezing range: <40 °F

Boiling point/Boiling range: >212 °F

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

(Contd. on page 4)



## Fire Retardant Coatings of Texas, LLC

4500 Grants Lane, Fort Worth Tx, 76179  
Office (817) 710-5233  
Sales@frctexas.com • www.frctexas.com

Page 4/7

### Safety Data Sheet (SDS)

OSHA Hazard Communication Standard 29 CFR  
1910.1200. Prepared to GHS Rev04.

Reviewed April 2024

Printing date 03/18/2016

Trade name:

**FX LumberGuard®**

(Contd. of page 3)

- **Ignition temperature:**
  - **Decomposition temperature:** Not determined.
- **Auto igniting:** The product is not self-igniting.
- **The danger of explosion:** The product does not present an explosion hazard.
- **Explosion limits:**
  - **Lower:** Not determined.
  - **Upper:** Not determined.
- **Vapor pressure at 20 °C (68 °F):** 23 hPa (17 mm Hg)
- **Density:** SG 1.020%
- **Relative density:** Not determined.
- **Vapor density:** Not determined.
- **The evaporation rate:** is Not determined.
- **Solubility in / Miscibility with Water:** Not miscible or difficult to mix.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - **Dynamic:** Not determined.
  - **Kinematic:** Not determined.
- **Solvent content:**
  - **Organic solvents:** 0.0 %
  - **Water:** 85 %
- **Solids content:** 32%
- **Volatile Organic Compounds (VOC):** 0.65 g/L - 0.06%

## 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition/conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions are known.
- **Conditions to avoid:** No further relevant information is available.
- **Incompatible materials:** No further relevant information is available.
- **Hazardous decomposition products:** No dangerous decomposition products are known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **On the skin:** No irritant effect.
- **In the eyes:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

(Contd. on page 5)



# Fire Retardant Coatings of Texas, LLC

4500 Grants Lane, Fort Worth Tx, 76179

Office (817) 710-5233

Sales@frctexas.com • www.frctexas.com

## Safety Data Sheet (SDS)

OSHA Hazard Communication Standard 29 CFR

1910.1200. Prepared to GHS Rev04.

Reviewed April 2024

Printing date 03/18/2016

Trade name:

**FX LumberGuard®**

(Contd. of page 4)

When used and handled according to specifications, the product has no harmful effects, according to our experience and the information provided to us.

### · Carcinogenic categories

· <b>IARC (International Agency for Research on Cancer)</b>
None of the ingredients is listed.
· <b>NTP (National Toxicology Program)</b>
None of the ingredients is listed.

## 12 Ecological information

### · Toxicity

- **Aquatic toxicity:** No further relevant information is available.
- **Persistence and degradability** No further relevant information is available.
- **Bioaccumulative potential:** No further relevant information is available.
- **Mobility in soil:** No further relevant information is available.

### · Additional ecological information:

#### · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted products or large quantities to reach groundwater, water courses, or sewage systems.

#### · Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information is available.

## 13 Disposal considerations

### · Waste treatment methods

- **Recommendation:** Smaller quantities can be disposed of with household waste.

### · Uncleaned packaging:

- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

### · UN-Number

· DOT, ADR, ADN, IMDG, IATA Void

· UN proper shipping name None

· DOT, ADR, ADN, IMDG, IATA Void

· Transport hazard class(es) TM

· DOT, ADR, ADN, IMDG, IATA

· Class Void

· Packing group

· DOT, ADR, IMDG, IATA Void

· Environmental hazards:

· Marine pollutant: No

· Special precautions for users are Not applicable.

· Transport in bulk according to Annex II of MARPOL73/78

and the IBC Code Not applicable.

· UN "Model Regulation": -

(Contd. on page 6)





# Fire Retardant Coatings of Texas, LLC

4500 Grants Lane, Fort Worth Tx, 76179

Office (817) 710-5233

Sales@frctexas.com • www.frctexas.com

## Safety Data Sheet (SDS)

OSHA Hazard Communication Standard 29 CFR

1910.1200. Prepared to GHS Rev04.

Reviewed April 2024

Printing date 03/18/2016

Trade name:

**FX LumberGuard®**

(Contd. of page 5)

### 15 Regulatory information

- Safety, health, and environmental regulations/legislation specific to the substance or mixture
- Sara

• **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

• **Section 313 (Specific toxic chemical listings):**

7664-38-2 phosphoric acid 75% food grade

• **TSCA (Toxic Substances Control Act):**

461-58-5 dicyandiamide

7664-38-2 phosphoric acid 75% food grade

57-13-6 Urea Prills

7783-28-0 diammonium phosphate

7732-18-5 water, distilled, conductivity or of similar purity

• **Proposition 65**

• **Chemicals known to cause cancer:**

None of the ingredients is listed.

• **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

• **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

• **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

• **Carcinogenic categories**

• **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

• **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

• **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

• **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

• **GHS label elements** Void

• **Hazard pictograms** Void

• **Signal word** Void

• **Hazard statements** Void

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Abbreviations and acronyms:**

ADR: Accord European sur le transport des marchandises danger uses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 7)



## Fire Retardant Coatings of Texas, LLC

4500 Grants Lane, Fort Worth Tx, 76179

Office (817) 710-5233

Sales@frctexas.com • www.frctexas.com

Page 7/7

### Safety Data Sheet (SDS)

OSHA Hazard Communication Standard 29 CFR  
1910.1200. Prepared to GHS Rev04.

Reviewed April 2024

Printing date 03/18/2016

Trade name:

**FX LumberGuard®**

(Contd. of page 6)

DOT: US Department of Transportation IATA:

International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

SDS / MSDS Created by MSDS Authoring Services ([www.MSDSAuthoring.com](http://www.MSDSAuthoring.com))

#### DISCLAIMER

The information in this document is believed to be correct as of the date issued.

**HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE.**

This information is furnished on the condition that the person receiving them shall determine the product's suitability for his particular purpose and that he assumes the risk of using it.



